daisyeyes handmade

WINTER Stocking
MADE IN COLLABORATION WITH







Instructions by Ellen March for Sulky, Sample by Aimee Davis of Daisy Eyes Handmade

Supply List

For Optional Hand Embroidery:

Sulky Stick'n Stitch™ - 8 1/2" x 11"

- Printable Sheets (SKU #459-02)

Sulky Tender Touch™

Printer

Embroidery needle

Small embroidery scissors

Sulky 12 Wt. Cotton Petites

- 50 yd. Spools in these colors:

Off White (SKU #712-1071)

Christmas Red (SKU #712-1147)



For the Stocking:

1/3 yard of plush fabric (such as Luxe Cuddle® Velvet Scarlet by Shannon Fabrics)

¹/₃ yard of satin fabric (such as Silky Satin Solid Red 336 by Shannon Fabrics Sulky Totally Stable® Tear-Away Stabilizer (optional)

Walking Foot attachment (recommended)

Sulky 12 Wt. Cotton Thread - Christmas Red - 330 yd. Spool (#713-1147)

Cutting Directions

- ☐ From the plush fabric cut one stocking pair (flipping over the pattern to ensure one "front" and one "back").
- ☐ From the satin fabric cut one stocking pair (for the lining) and 4 stocking cuffs.
 - ☐ Set aside one stocking cuff piece for the embroidery.

If adding Totally Stable Tear-Away Stabilizer, cut two cuffs and attach them to the corresponding stocking pieces, following the manufacturer's instructions.

 \Box From the satin fabric - cut one 2" x 6" rectangle for a hanging loop.

When cutting the plush fabric, make sure to check the direction of the nap. You can feel the nap when you lightly run your hand long-ways over the right side of the fabric. The hairs lie smooth and flat with the nap and feel slightly rough against the nap.



Constructing the Stocking

Hanging Loop

1. Fold the hanging loop in half lengthwise with right sides together.


Stitch the long edge. Trim raw edges with pinking shears; turn right side out and press. {Because satin is so hard to press, I opted to press my seam in the middle of the folded rectange.} (see photos 1 and 2)

- 2. Fold the loop in half widthwise; press.
- 3. Position the hanging loop raw ends with the back satin lining upper edge and placing the loop $\frac{3}{4}$ from the side edge.
- 4. Baste.

Stitching the Stocking

5. Lay out your plush stocking pieces and your lining pieces. Position the satin cuff right sides facing on each piece; matching the plush stocking edge and satin cuff edge. (see photo 3) Stitch.

Make sure the embroidered cuff is attached to the front LINING piece. Orient the embroidery so it faces right side up when folded over the stocking upper edge. (it should face upside down after sewing the seam and pressing)



7. Lay out your long stocking pieces right sides together; matching the satin lining pieces and the plush stocking pieces. (see photo 4). Use pins and/or clips to hold the pieces in place.



photo 1

ALL SEAMS ARE MADE

WITH A HALF INCH SEAM

photo 3

photo 2

8. Stitch the perimeter, leaving a 5" opening along the lining straight edge for turning. Trim the seam

allowances and clip the curves of the plush fabrics.

- 10. Turn the stocking right side out and topstitch the lining opening closed.
- 12. Push the lining stocking into the outer stocking, favoring the cuff seams toward the inside.
- 13. Open the cuff edge all the way out and top stitch along the bottom edge of the cuff. (see photo 5)
- 14. Fold the cuff toward the right side, allowing the hanging loop to hang above the stocking upper edge and turning the embroidered piece out.
- 15. Make sure the top edges are all aligned and top stitch along the top of the cuff and stocking.
- 16. Embroider the cuff by hand or machine using the Winter Greens alphabet design by Aimee Davis for Sulky.





